

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	09/585,819	HETEREN, JOHN GERALD VAN	
	Examiner Timothy Edwards, Jr.	Art Unit 2635	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to telephone interview of November 10, 2004.
2.  The allowed claim(s) is/are 1,3-17,28-37 and 39-63.
3.  The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
 of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

#### Attachment(s)

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

Timothy Edwards, Jr.  
Primary Examiner  
Art Unit: 2635

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert Richards on November 10, 2004.

The application has been amended as follows:

#### **IN THE CLAIMS:**

1. (Currently Amended) A data collection system comprising:
  - a) a plurality of telemetry devices, each telemetry device including:
    - i) a sensor configured to generate a series of successive measurements by measuring a parameter at a series of measurement times,
    - ii) a memory configured to store a plurality of measurements from said series of successive measurements, and
    - iii) a transmitter configured to transmit measurements stored in memory to a collection device at a series of transmission times; and
  - b) a plurality of collections devices, there being fewer collection devices than telemetry devices, each collection device including:
    - i) a hub to receive transmission as packets from selected of the plurality of telemetry devices, the transmissions containing both old measurements and new measurements;

ii) a network device to forward at least a subset of a series of said transmissions over an internet connection to a data processing center to generate an output function;

iii) at least one storage device for storing selected of the received transmissions; and

iv) a Hypertext Transmission Protocol (HTTP) server configured to host at least one web page that displays information corresponding to selected of the received and forwarded transmissions.

1. Any inquiry concerning this communication should be directed to Examiner Timothy Edwards at telephone number (571) 272-3067. The examiner can normally be reached on Monday-Thursday, 8:00 a.m.-6:00 p.m. The examiner cannot be reached on Fridays.

If attempt to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Horabik, can be reached on (571) 272-3068.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (571) 272-4700, Mon-Fri., 8:30 a.m.-5:00 p.m.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or fax to:

Application/Control Number: 09/585,819  
Art Unit: 2635


Page 4

(703), 872-9314 (for formal communications intended for entry)

Or:

(for informal or draft communications, please label "PROPOSED"  
or "DRAFT")

Hand-delivered responses should be brought to Crystal Park II, 2121  
Crystal Drive, Arlington, VA, Sixth Floor, (Receptionist).



Timothy Edwards, Jr.  
Primary Examiner  
November 10, 2004